PATENT Atty. Dkt AMAT/6346/PPC/ECP/RKK

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Gandikota, et al.

Serial No.: 10/085,822

Confirmation No.: 2395

Filed:

February 27, 2002

For:

Method To Reduce The Depletion Of Organics In

Electroplating Baths

RECEIVED CENTRAL FAX CENTER

Group Art Unit: 1775

SEP 2 9 2004

Examiner:

Robert R. Koehler

BEST AVAILABLE COPY

MAIL STOP ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number Indicated by the Examiner, namely, fax number 703/872-8306 to the attention of the named Examiner, on the date below.

_9/29/04

Signature

AMENDMENT AFTER ALLOWANCE

Following mailing of a Notice of Allowance on August 23, 2004, Applicants request entry of the following amendments to correct clarity and grammar. Claim amendments begin on page 2. Remarks begin on page 9.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

fects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER: _

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.